


2024年12月新製品

CSTの高度に検証された 信頼ある新製品を使いませんか？



CST研究者が自信を持ってお届けする新製品が続々登場しています。
毎月1日は新製品をチェックしましょう！


今月のおすすめ製品

Whitlow/218 Linker (F2G3S) Rabbit mAb #47414

がん微小環境におけるCAR-T細胞の組織解析

血液がんにおいて著名な効果を発揮するCAR-T細胞は、固形がんに関しても様々な研究が行われていますが、CAR-T細胞療法を用いた固形がんへの治療効果を組織的に解析するツールは多くありませんでした。#47414は、そのような課題を克服するCARリンカー抗体シリーズ初のIHC-Pでの使用が可能な製品であり、Whitlow/218リンカーが含まれるCAR-T細胞の組織内での局在を明らかにすることができます。

キーワード：CAR-T細胞、固形がん、がん微小環境



IHC-P


Immunohistochemical analysis of Raji B-Cell lymphoma xenograft in NSG mouse spleen transfused with primary human CAR-T cells targeting CD19 using #47414.

GLIPR2 (F7H7V) Rabbit mAb #86955

GLIPR2：幅広いがん種における潜在的なバイオマーカー

Glioma pathogenesis-related protein 2 (GLIPR2) は、ゴルジ体関連PR-1タンパク質 (GAPR-1) としても知られ、PR-1タンパク質ファミリーに属します。GLIPR2は、単球、マクロファージ、NK細胞、およびT細胞サブセットで発現しており、Beclin-1と結合し、PtdIns3K-C1複合体の活性を阻害するオートファジーの負の調節因子としても機能しています。また、CD8陽性T細胞の腫瘍組織への浸潤にも関連していることが報告されており、幅広いがん種における潜在的なバイオマーカーおよび腫瘍抑制因子として知られています。#86955は、ヒト、マウス、ラットに交差性があり、WBとIHC-Pに適しています。

キーワード：オートファジー、がん、腫瘍抑制因子



IHC-P

Immunohistochemical analysis of paraffin-embedded human prostate adenocarcinoma using #86955.

For Research Use Only. Not for Use in Diagnostic Procedures.

詳細はこちらをご覧ください：cst-science.com/2024npi



Cell Signaling
TECHNOLOGY®

| 製品名 | サイズ | 希望納入 価格 (円) | アプリケーション | 種交差性 |
|---|--------|----------------|-------------------------|--|
| Adhesion/ECM | | | | |
| 78288S CDCP1 (F3M9G) Rabbit mAb | 100 µl | 79,000 | WB, IF-IC, FC-FP | H |
| 78288T | 20 µl | 24,000 | | |
| 32431SF EpCAM (D1B3) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| Apoptosis | | | | |
| 48694SF Phospho-Bad (Ser112) (7E11) Mouse mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, M, R, Mk |
| 61634SF c-Myc (D5T4A) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R, Mk |
| 91171SF RIP3 (E1Y9Z) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 92131SF RIP3 (D8J3L) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | M, R |
| 83711SF Survivin (6E4) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, Mk |
| Autophagy | | | | |
| 20763SF Phospho-Atg13 (Ser355) (D6J1W) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, (M, R) |
| 99808C PathScan® RP LC3A Sandwich ELISA Kit | 1 Kit | 140,000 | ELISA | H, M |
| Ca, cAMP and Lipid Signaling | | | | |
| 70573S S100A10 (F9U2Z) Rabbit mAb | 100 µl | 79,000 | WB | M |
| 70573T | 20 µl | 24,000 | | |
| Cell Cycle / Checkpoint Control | | | | |
| 49049SF Phospho-Aurora A (Thr288) (C39D8) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA, IF-IC | H |
| 94244S Bub1 (F5L7L) Rabbit mAb | 100 µl | 79,000 | WB, IP, IF-IC, FC-FP | H |
| 94244T | 20 µl | 24,000 | | |
| 20905S Total Cyclin E1 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 37439SF p16 INK4A (D3W8G) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| Chromatin Regulation / Nuclear Function | | | | |
| 87655SF ARID1A/BAF250A (D2A8U) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, IHC-P | H, M, R, Mk |
| 58693C FastScan™ AsCpf1/Cas12a (Strain BV3L6) ELISA Kit | 1 Kit | 140,000 | ELISA | All |
| 67615SF ATRX (E5X7O) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, IHC-P | H, M, R, Mk |
| 78731SF BRD4 (E8V7I) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, Mk |
| 43405SF BRG1 (E3T4S) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, Mk |
| 92865SF Histone H2B (53H3) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, Mk, Z, (X, B, Hr) |
| 28933SF Histone H3 (D2B12) XP® Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, Mk, (R, Hm, Mk, C, Dm, X, Z, B) |
| 53138SF Mono-Methyl-Histone H3 (Lys4) (D1A9) XP® Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA, IF-IC, FC-FP | H, M, R, Mk, (Dm) |
| 92075S Tri-Methyl-Histone H3 (Lys27) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H, M, R, Mk |
| 35663S UBF (F2F1O) Rabbit mAb | 100 µl | 79,000 | WB | H, M, R, Mk |
| 35663T | 20 µl | 24,000 | | |
| Cytoskeletal Signaling | | | | |
| 48427S AKAP12 (F4H6G) Rabbit mAb | 100 µl | 79,000 | WB, IF-IC | H, M, R |
| 48427T Keratin 17/19 (D4G2) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate) | 20 µl | 24,000 | IHC-P, IF-F, IF-IC | H, M, R |
| 41413S | 100 µl | 88,000 | | |
| 26667S Keratin 17/19 (D4G2) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate) | 100 µl | 88,000 | IHC-P, IF-F, IF-IC | H, M, R |
| 64558S Metavinculin (F3R2D) Rabbit mAb | 100 µl | 83,000 | WB, IP, IHC-P | H |
| 64558T | 20 µl | 25,000 | | |
| 75243S PKN3 (F6S5C) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 75243T | 20 µl | 24,000 | | |
| 87122S SPTBN1 (F7N2A) Rabbit mAb | 100 µl | 79,000 | WB, IP, FC-FP | H, Mk |
| 87122T | 20 µl | 24,000 | | |
| 38459SF Stathmin (D1Y5A) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, IHC-P, IF-IC | H, M, R |
| 28367S Total Vimentin Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H, Mk |

| 製品名 | サイズ | 希望納入 価格 (円) | アプリケーション | 種交差性 |
|---|--------|----------------|-------------------------------|---------------------------------|
| Developmental Biology | | | | |
| 40506S AUTS2 (F3U1) Rabbit mAb | 100 µl | 79,000 | WB, IP | H, M |
| 40506T | 20 µl | 24,000 | | |
| 84039S ELF3 (F8J2G) Rabbit mAb | 100 µl | 79,000 | WB, IP, IF-IC, ChIP, ChIP-seq | H |
| 84039T | 20 µl | 24,000 | | |
| 67260S MEIS1 (E9V1D) Rabbit mAb | 100 µl | 79,000 | WB, IP, ChIP | H, M, R |
| 67260T | 20 µl | 24,000 | | |
| 40617S NKX2.5 (E1Y8H) Rabbit mAb (Alexa Fluor® 647 Conjugate) | 100 µl | 88,000 | FC-FP | H |
| 39728S Total NRF2 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 31289SF Notch1 (5B5) Rat mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, B |
| 30819S Total Notch1 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 83034S PYGO2 (F7N8Z) Rabbit mAb | 100 µl | 79,000 | WB, IP | H, M, R, Mk |
| 83034T | 20 µl | 24,000 | | |
| 71460S Phospho-SMAD2 (Ser465/467) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H |
| 20647SF SMAD4 (D8J9F) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R, Mk |
| 55220S Total Sox2 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| Immunology and Inflammation | | | | |
| 78000S ASC/TMS1 (F8U7P) Rabbit mAb | 100 µl | 79,000 | WB, IF-IC, FC-FP | H |
| 78000T | 20 µl | 24,000 | | |
| 35665S CD47 (E2V9V) Rabbit mAb (Alexa Fluor® 555 Conjugate) | 100 µl | 88,000 | IHC-P | M |
| 45348S CD83 (F9D2B) Rabbit mAb | 100 µl | 79,000 | WB, IP | M |
| 45348T | 20 µl | 24,000 | | |
| 26013S CD89/FCAR (F1T9J) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 26013T | 20 µl | 24,000 | | |
| 23246S CD206/MRC1 (E6T5J) XP® Rabbit mAb (Alexa Fluor® 750 Conjugate) | 100 µl | 88,000 | IHC-P | H, M, R, Mk |
| 48352S CD206/MRC1 (E2L9N) Rabbit mAb (Alexa Fluor® 555 Conjugate) | 100 µl | 88,000 | IHC-P | H |
| 69179SF Cox2 (E7V6C) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R |
| 97990SF CrkL (D4H6C) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 97636SF Phospho-CrkL (Tyr207) (E9J5N) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | ELISA | H |
| 82838S EGF (F7W4J) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 82838T | 20 µl | 24,000 | | |
| 99106S Eosinophil cationic protein (F3G7N) Rabbit mAb | 100 µl | 83,000 | WB, IHC-P | M |
| 99106T | 20 µl | 25,000 | | |
| 86955S GLIPR2 (F7H7V) Rabbit mAb | 100 µl | 83,000 | WB, IHC-P | H, M, R |
| 86955T | 20 µl | 25,000 | | |
| 44576S IL-1R2 (F5S6U) Rabbit mAb | 100 µl | 79,000 | WB, IP, FC-FP, FC-L | H |
| 44576T | 20 µl | 24,000 | | |
| 48936S Phospho-IFNAR2 (Tyr337) (F4L3O) Rabbit mAb | 100 µl | 85,000 | WB, IP | H |
| 48936T | 20 µl | 26,000 | | |
| 76993S Phospho-IFNAR2 (Tyr512) (F6M9J) Rabbit mAb | 100 µl | 85,000 | WB, IP, FC-FP | H, M |
| 76993T | 20 µl | 26,000 | | |
| 55079S Phospho-IFNAR2 (Tyr512) (F6M9J) Rabbit mAb (Alexa Fluor® 488 Conjugate) | 100 µl | 92,000 | FC-FP | H, M |
| 57584S Phospho-IFNAR2 (Tyr512) (F6M9J) Rabbit mAb (Alexa Fluor® 647 Conjugate) | 100 µl | 92,000 | FC-FP | H, M |
| 71278SF Phospho-IκBa (Ser32) (I4D4) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, M, R, Mk, (C, B, Dg, Pg, GP) |
| 58254S Total IRF-3 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 67782S Phospho-IRF-3 (Ser379) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | M |
| 85816S Total Jak2 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H, M |
| 34848S LIF (F6X1X) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 34848T | 20 µl | 24,000 | | |

For Research Use Only. Not for Use in Diagnostic Procedures.

詳細はこちらをご覧ください: cst-science.com/2024npi



Cell Signaling
TECHNOLOGY®

| 製品名 | サイズ | 希望納入 価格 (円) | アプリケーション | 種交差性 |
|--|--------|----------------|---------------|---------------------|
| Immunology and Inflammation (cont.) | | | | |
| 50411SF PD-L1 (D4H1Z) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | M |
| 70443S PD-L1 (F4G6U) Rabbit mAb (PE Conjugate) | 100 µl | 88,000 | FC-FP, FC-L | M |
| 63704S Siglec-7 (F6K8J) Rabbit mAb | 100 µl | 79,000 | FC-FP, FC-L | H |
| 63704T | 20 µl | 24,000 | | |
| 91923SF Phospho-SLP-76 (Ser376) Mouse mAb (BSA and Azide Free) | 100 µg | 160,000 | ELISA | H, M |
| 35872S Total Stat6 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 57159SF Phospho-Stat6 (Tyr641) (D7V3N) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | ELISA | H |
| 20698S PU.1 (E8I8L) Mouse mAb (Alexa Fluor® 647 Conjugate) | 100 µl | 88,000 | FC-FP | H |
| 56401SF TBK1/NAK (E9H5S) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, (Mk) |
| 16809S TRIF (F6K4E) Rabbit mAb | 100 µl | 79,000 | WB, IP | H |
| 16809T | 20 µl | 24,000 | | |
| 44796S TYRP1 (F6Y6N) Rabbit mAb | 100 µl | 79,000 | WB | H, M |
| 44796T | 20 µl | 24,000 | | |
| 68693S Whitlow/218 Linker (E3U7Q) Rabbit mAb (Alexa Fluor® 750 Conjugate) | 100 µl | 96,000 | FC-L | All |
| 61479S Whitlow/218 Linker (E3U7Q) Rabbit mAb (mFluor™ Red 780 Conjugate) | 100 µl | 96,000 | FC-L | All |
| 47414S Whitlow/218 Linker (F2G3S) Rabbit mAb | 100 µl | 105,000 | WB, IP, IHC-P | All |
| 47414T | 20 µl | 47,000 | | |
| 66149SF Zap-70 (A4E9Z) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 59806SF Zap-70 (L1E5) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| Infectious Diseases | | | | |
| 91484SF SARS-CoV-2 Spike Protein (E7B3E) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | Vir |
| 76571S SARS-CoV-2 Spike Protein (F3Q9R) Rabbit mAb | 100 µl | 79,000 | WB, IF-IC | Vir |
| 76571T | 20 µl | 24,000 | | |
| MAP Kinase Signaling | | | | |
| 51398T Elk-1 (F6D8T) Rabbit mAb | 20 µl | 24,000 | WB, IP, ChIP | H, Mk |
| 16282SF c-Fos (E6B9A) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, Mk |
| 15676SF JNK2 (56G8) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R, Hm, Mk, Mi |
| Metabolism | | | | |
| 92771SF Phospho-AMPKα (Thr172) (A9S3O) Mouse mAb (BSA and Azide Free) | 100 µg | 160,000 | ELISA | H, M |
| 31775S DEGS1 (F7G2J) Rabbit mAb | 100 µl | 79,000 | WB | H, M, R |
| 31775T | 20 µl | 24,000 | | |
| 68106S FTL (F4T8H) Rabbit mAb | 100 µl | 79,000 | WB | H, M, R |
| 68106T | 20 µl | 24,000 | | |
| 71407S Glut5 (F4A5K) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 71407T | 20 µl | 24,000 | | |
| 40223SF Phospho-IGF-1 Receptor β (Tyr1131)/Insulin Receptor β (Tyr1146) (D6D5L) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, (M, R) |
| 35702SF Insulin Receptor β (A6H3G) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| 92818SF IRS-1 (59G8) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R, (Pg) |
| 46800S Total IRS-1 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H, M, R |
| 99930SF Phospho-IRS-1 (Ser302) (34C7) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, M |
| 28569S MFSD1 (F2B4C) Rabbit mAb | 100 µl | 79,000 | WB | H |
| 28569T | 20 µl | 24,000 | | |
| Neuroscience | | | | |
| 32354SF β-Amyloid (1-42 Specific) (E6G7S) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 73799SF Myelin Basic Protein (2H9) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, R |
| 53246C PathScan® RP Myelin Basic Protein Sandwich ELISA Kit | 1 Kit | 140,000 | ELISA | H, M, R |
| 31053SF Nestin (E6S4P) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | M |

| 製品名 | サイズ | 希望納入 価格 (円) | アプリケーション | 種交差性 |
|--|--------|----------------|-------------------------|-------------|
| Neuroscience (cont.) | | | | |
| 86100SF Neurofilament-L (E3V7Y) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R |
| 20149SF Neurogranin (E9V5C) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R |
| 87231S Slathmin-2 Matched Antibody Pair | 1 Kit | 279,000 | ELISA | M, R |
| 16688SF α-Synuclein (A3U8B) XP® Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | M, R |
| 26791T α-Synuclein ER Stress Antibody Sampler Kit | 1 Kit | 153,000 | - | - |
| 32905SF TREM2 (E9N1K) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | M |
| PI3K / Akt Signaling | | | | |
| 26436SF Akt1 (2H10) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H, M, R, Mk |
| 98449SF Phospho-Akt (Thr308) (L54B1) Mouse mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, M |
| 25776S TCL1 (F9R1X) Rabbit mAb | 100 µl | 83,000 | WB, IHC-P, FC-FP | H |
| 25776T | 20 µl | 25,000 | | |
| RTK | | | | |
| 81226S ALK (D5F3®) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate) | 100 µl | 88,000 | IHC-P, FC-FP | H |
| 71569SF Crkl (D4G7G) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| 92869SF CSF-1R/M-CSF-R (D4E1P) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 56254S Phospho-CSF-1R/M-CSF-R (Tyr699) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H |
| 91801SF Phospho-EGFR (Tyr1068) (M107E12) Mouse mAb (BSA and Azide Free) | 100 µg | 160,000 | ELISA | H |
| 47371SF FLT3 (E5P4X) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 10018SF HER4/ErbB4 (D7H9) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 72663SF HER4/ErbB4 (111B2) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H, M, (R) |
| 19186SF HER4/ErbB4 (A8S4E) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | ELISA | H |
| 62379SF c-Kit (Ab81) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA, IF-IC, FC-FP | H |
| 31418SF Phospho-c-Kit (Tyr703) (D12E12) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H |
| 20912SF Mer (348E6) Mouse mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| 36532S Phospho-Mer (panTyr) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H |
| 23910S Total Met Matched Antibody Pair | 1 Kit | 279,000 | ELISA | H |
| 84314S Phospho-Ret (panTyr) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H |
| 42710SF Ron (C81H9) Rabbit mAb (BSA and Azide Free) | 100 µg | 142,000 | WB, ELISA | H |
| 51735S Phospho-Tyro3 (panTyr) Matched Antibody Pair | 1 Kit | 293,000 | ELISA | H |
| Translational Control | | | | |
| 27899SF Phospho-4E-BP1 (Ser65) (D9G1Q) Rabbit mAb (BSA and Azide Free) | 100 µg | 160,000 | WB, ELISA | H, Mk |
| 93416S PAPD7 (FIQ9R) Rabbit mAb | 100 µl | 79,000 | WB, IP | H, Mk |
| 93416T | 20 µl | 24,000 | | |
| 37095S PRPF4 (F9Z1U) Rabbit mAb | 100 µl | 79,000 | WB | H, M, R, Mk |
| 37095T | 20 µl | 24,000 | | |
| 69882S RBM25 (F9X4K) Rabbit mAb | 100 µl | 79,000 | WB, IP | H, M, R, Mk |
| 69882T | 20 µl | 24,000 | | |
| Ubiquitin and Ubiquitin-Like Proteins | | | | |
| 30270S SART3 (F8W1S) Rabbit mAb | 100 µl | 79,000 | WB, IP | H, M, R, Mk |
| 30270T | 20 µl | 24,000 | | |
| Related Products | | | | |
| 82717S Goat Anti-Mouse IgG (H+L) Antibody (Alexa Fluor® 350 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | M |
| 97627S Goat Anti-Mouse IgG (H+L) Antibody (Alexa Fluor® 532 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | M |
| 43244S Goat Anti-Mouse IgG (H+L) Antibody (Alexa Fluor® 700 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | M |
| 48609S Goat Anti-Rabbit IgG (H+L) Antibody (Alexa Fluor® 350 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | Rab |
| 74346S Goat Anti-Rabbit IgG (H+L) Antibody (Alexa Fluor® 532 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | Rab |
| 41445S Goat Anti-Rabbit IgG (H+L) Antibody (Alexa Fluor® 700 Conjugate) | 250 µl | 37,000 | FC-FP, FC-L | Rab |

For Research Use Only. Not for Use in Diagnostic Procedures.

詳細はこちらをご覧ください: cst-science.com/2024np1



| 製品名 | サイズ | 希望納入 価格 (円) | アプリケーション | 種交差性 |
|--|--------|----------------|----------|------|
| Related Products (cont.) | | | | |
| 88651S Posibeads™ G4S Linker Positive Control Beads | 250 µl | 60,000 | FC-L | - |
| 26254S Posibeads™ Whitlow/218 Linker Positive Control Beads | 250 µl | 60,000 | FC-L | - |

CST 最新情報



実験や研究のTipsをご紹介します

CSTの公式ブログでは、実験中に起こると予測される事象や実験のヒント、コツのほか、注目の研究領域などを紹介しています。ぜひご覧ください。

最新のブログはこちら：

cst-science.com/24-npi-dec-info1



最新情報をお届けします

CSTは、現役の科学者が設立し、所有・運営する企業であり、研究ツールやリソースの最新動向を把握することがいかに重要であるかを理解しています。最新情報をお届けするメルマガにぜひご登録ください。

メルマガ登録はこちら：

cst-science.com/24-npi-dec-info2



種交差性: H-ヒト、M-マウス、R-ラット、Hm-ハムスター、Mk-サル、Mi-ミンク、C-ニワトリ、Pg-ブタ、B-ウシ、Dm-キイロショウジョウバエ、Z-ゼブラフィッシュ、X-アフリカツメガエル、Sc-出芽酵母、Hr-ウマ、Ce-線虫、GP-モルモット、Dg-イヌ、Rab-ウサギ、Vir-ウイルス、All-すべて
 括弧付きの動物種は、配列が100%相同であるため反応すると推定されます。種交差性は、ウェスタンブロットングで確認しています。
 アプリケーション: WB-ウェスタンブロットング、WB-S-Simple Western、IP-免疫沈降、IF-IC-免疫蛍光細胞染色、IF-P-免疫蛍光染色(パラフィン切片)、IF-F-免疫蛍光染色(凍結切片)、IHC-P-免疫組織化学染色(パラフィン切片)、IHC-LB-Leica® Bond™使用免疫組織化学染色(パラフィン切片)、IHC-F-免疫組織化学染色(凍結切片)、FC-FP-フローサイトメトリー(固定、透過化)、FC-L-フローサイトメトリー(生細胞)、ChIP-クロマチン免疫沈降、ChIP-seq-クロマチン免疫沈降シーケンス、C&R-CUT&RUN、C&T-CUT&Tag、eCLIP-eCLIP、ELISA-ELISA、E-P-Peptide ELISA、R Dot Blot-RNAドットプロット、FUNC-Functional、PTMScan-PTMScan、SCA-ITS3-シングルセルInTraSeq3 解析

本パンフレット中の情報は2024年11月現在のもので、予告なく変更される場合がありますので予めご了承ください。

© 2024 Cell Signaling Technology, Inc. All rights reserved. Cell Signaling Technology, CST, PathScan, FastScan, Posibeads and XP are registered trademarks of Cell Signaling Technology, Inc. Alexa Fluor is a registered trademark of Life Technologies Corporation.

mFluor is a trademark of AAT Bioquest, Inc. mFluor is manufactured by AAT Bioquest, Inc. All other trademarks are the property of their respective owners. Visit cellsignal.com/trademarks for more information.

For Research Use Only. Not for Use in Diagnostic Procedures. 24-PRG-57500-FLY-JP

輸入販売元



〒101-0047

東京都千代田区内神田1-6-10 笠原ビルディング10階

www.cellsignal.jp

取扱店